WEST Search History

DATE: Tuesday, March 11, 2003

Set	t Name	Query	Hit Count Set	t Name sult set
sid	e by side DB=US L18 L17	pta-4531 L16 and above average cold test results	0 0 0 25	L18 L17 L16
	L16 L15 L14 L13 L12 L11 L10	115 and high grain yield L14 and (corn or maize) 6 adj5 northern leaf 112 and (corn or maize) L11 and northern leaf relative maturity adj5 99 ph7jb and (corn or maize) 12 and 14 and 16 and 18	49 49 3 3 3 0 0	L15 L14 L13 L12 L11 L10 L9
第4 19	L9 L8 L7 L6 L5 L4 L3 L2 L1	17 and (corn or maize) cob color adj5 red 15 and (corn or maize) glume color adj5 purple 13 and (corn or maize) anther color adj5 yellow 11 and (corn or maize) silk color adj5 pink	239 239 10 10 98 179 78	L8 L7 L6 L5 L4 L3 L2 L1

END OF SEARCH-HISTORY -----

Connecting via Wineock to gra Welcome to STM International! PASEWORD: (RMTER 1, 2, 3, OR ?):2 LOGINID. SESPERIES SES ***** 3 3 5 6 APT 46x 53 46x 53 46x 53 46x 53 NEWS uens 10 News 12 News 12 News 13 News 13 red 24 red 24 NEWS 43 NEWS 45 NEWS 45

NEWS 46 Feb 24 TEMA now available on STN NEWS 47 Feb 26 NTIS now allows simultaneous left and right truncation NEWS 48 Feb 26 PCTFULL now contains images NEWS 49 Mar 04 SDI PACKAGE for monthly delivery of multifile SDI results NEWS EXPRESS January 6 CURRENT WINDOWS VERSION IS V6.01a, CURRENT MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP), AND CURRENT DISCOVER FILE IS DATED 01 OCTOBER 2002 NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS INTER General Internet Information NEWS LOGIN Welcome Banner and News Items NEWS PHONE Direct Dial and Telecommunication Network Access to STN NEWS WWW CAS World Wide Web Site (general information) Enter NEWS followed by the item number or name to see news on that specific topic. All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties. FILE 'HOME' ENTERED AT 10:40:46 ON 11 MAR 2003 => file agricola biosis COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 0.21 0.21 FILE 'AGRICOLA' ENTERED AT 10:40:54 ON 11 MAR 2003 FILE 'BIOSIS' ENTERED AT 10:40:54 ON 11 MAR 2003 COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC. (R) => s silk cotor-(10w) pink 0 SILK COLOR (10W) PINK----L1=> s anther color (10w) yellow 2 ANTHER COLOR (10W) YELLOW L2=> dup rem 12 PROCESSING COMPLETED FOR L2 1 DUP REM L2 (1 DUPLICATE REMOVED) 1.3 => d ti ANSWER 1 OF 1 AGRICOLA DUPLICATE 1 White anther: a petunia mutant that abolishes pollen flavonol accumulation, induces male sterility, and is complemented by a chalcone synthase transgene.

=> d so

L3 ANSWER 1 OF 1 AGRICOLA DUPLICATE 1
SO Plant physiology, June 1999. Vol. 120, No. 2. p. 615-622
Publisher: Rockville, MD: American Society of Plant Physiologists, 1926-

CODEN: PLPHAY; ISSN: 0032-0889

=> d 1-13 ti

DUPLICATE 1 ANSWER 1 OF 1 AGRICOLA A mutation in an inbred line of petunia (Petunia hybrida) produces a reduction in the deep-purple corolla pigmentation and changes the anther color from yellow to white. In addition, the mutant designated white anther (wha), is functionally male sterile. The inability of pollen from wha plants to germinate in vitro provides a physiological basis for the lack of seed set observed in self-crosses of the mutant. Biochemical complementation with nanomolar amounts of kaempferol, a flavonol aglycone, confirms that the inability of the wha pollen to germinate is due to a lack of this essential compound. Transgenic complementation with a functional ChsA (Chalcone synthase A) cDNA suggests that the genetic lesion responsible for the wha phenotype is in Chs, the gene for the first enzyme in the flavonol biosynthesis pathway. The genetic background of the parental line, as well as the pollen phenotype, allowed us to deduce that the wha mutation is in ChsA. To our knowledge, wha is the first induced, nontransgenic Chs mutant described in petunia, and analysis of the mutation confirms earlier molecular and genetic observations that only two Chs genes (A and J) are expressed in reproductive tissues and that they are differentially regulated in corolla and anther. => s glume color (10w) purple O GLUME COLOR (10W) PURPLE => s cob color (10w) red 0 COB COLOR (10W) RED => s ph7jb and (corn or maize) 0 PH7JB AND (CORN OR MAIZE) => s pta 4531 0 PTA 4531 => s relative maturity (10w) 99 L8 0 RELATIVE MATURITY (10W) 99 => s high grain yield and (corn or maize)-49 HIGH GRAIN YIELD AND (CORN OR MAIZE) L9 => s 19 and cold test 0 L9 AND COLD TEST L10 => s 19 and northern leaf blight 0 L9 AND NORTHERN LEAF BLIGHT => s 19 and northcentral L12 0 L9 AND NORTHCENTRAL => s 19 and (hybrid or f1) 16 L9 AND (HYBRID OR F1) L13 => dup rem 113 PROCESSING COMPLETED FOR L13

L14 ANSWER 1 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
TI Stability and correlation study for stem borer, Chilo partellus (Swinhoe)

13 DUP REM L13 (3 DUPLICATES REMOVED)

resistance in single crosses of ${\tt maize}$ (Zea mays L.) inbred lines.

- L14 ANSWER 2 OF 13 AGRICOLA DUPLICATE 1
- TI Effect of S3 recurrent selection in four tropical maize populations on their selfed and randomly mated generations.
- L14 ANSWER 3 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI Combining ability for some characters of high lysine maize with modified endosperm.
- L14 ANSWER 4 OF 13 AGRICOLA DUPLICATE 2
- TI Planting date and moisture effects on yield, quality, and alkaline-processing characteristics of food-grade maize.
- L14 ANSWER 5 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI CORN HYBRID INTERACTIONS WITH SOIL NITROGEN LEVEL AND WATER REGIME.
- L14 ANSWER 6 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI TESTCROSS PERFORMANCE OF MAIZE LINES FROM BACKCROSS POPULATIONS CONTAINING HIGHLAND MEXICAN OR HIGHLAND PERUVIAN GERMPLASM.
- L14 ANSWER 7 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI MAIZE POPULATIONS PERFORMANCE AS TO AGRONOMIC AND TECHNOLOGICAL CHARACTERISTICS.
- L14 ANSWER 8 OF 13 AGRICOLA DUPLICATE 3
- TI Development of nitrogen-efficient prolific hybrids of maize.
- L14 ANSWER 9 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI ABOUT SOME CHARACTERISTICS OF TILLERING IN MAIZE ZEA-MAYS-SSP-IDENTATA.
- L14 ANSWER 10 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI PHYSIOLOGICAL FACTORS AFFECTING MAIZE ZEA-MAYS YIELDS UNDER TROPICAL AND TEMPERATE CONDITIONS.
- L14 ANSWER 11 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI COMBINING ABILITY ESTIMATES OF SULFATE UPTAKE EFFICIENCY IN MAIZE ZEA-MAYS.
- L14 ANSWER 12 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI RESPONSES TO MASS SELECTION IN MAIZE ZEA-MAYS CULTIVARS HAYS-GOLDEN AND NEBRASKA-501D.
- L14 ANSWER 13 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI PERFORMANCE OF MAIZE HYBRIDS INVOLVING ELITE MAIZE VARIETIES.